

# Test Report

Start Time: 04/10/09 14:11:21 End Time: 04/10/09 14:12:41 Samprate: 10sec Data number: 9

Temp Alarm HI: 40 C Temp Alarm Low: 0 C RH Alarm HI: 90 %RH RH Alarm Low: 30 %RH

Temp MAX: 27.0 C @14:12:41 04/10/09 Temp MIN: 26.7 C @14:11:31 04/10/09 Temp AVG: 26.82 C

RH MAX: 47.4 %RH @14:12:41 04/10/09 RH MIN: 34.7 %RH @14:11:21 04/10/09 RH AVG: 42.09 %RH

---

No.	Time	(%RH) Humidity	(C) Temperature	(F) Temperature
1	04/10/09 14:11:21	34.7	26.7 C	80.1 F
2	04/10/09 14:11:31	40.6	26.7 C	80.1 F
3	04/10/09 14:11:41	41.3	26.8 C	80.2 F
4	04/10/09 14:11:51	37.7	26.8 C	80.2 F
5	04/10/09 14:12:01	39.8	26.8 C	80.2 F
6	04/10/09 14:12:11	45.8	26.8 C	80.2 F
7	04/10/09 14:12:21	45.0	26.9 C	80.4 F
8	04/10/09 14:12:31	46.5	26.9 C	80.4 F
9	04/10/09 14:12:41	47.4	27.0 C	80.6 F